



1/13




Fig. 1





Fig. 2





2/13




Fig. 4a




Fig. 4b



3/13




Fig. 6




Fig. 5



Policicchio et al. 7368
"Cleaning Composition, Pad, Wipe, Implement, and
System and Method of Use Thereof"

4/13

031450-100

031450-100




Fig. 7a



Policicchio et al. 7368
"Cleaning Composition, Pad, Wipe, Implement, and
System and Method of Use Thereof"

5/13




Fig. 7b



Policicchio et al. 7368
"Cleaning Composition, Pad, Wipe, Implement, and
System and Method of Use Thereof"

6/13

113/130-2

900101




Fig. 8



Policicchio et al. 7368
"Cleaning Composition, Pad, Wipe, Implement, and
System and Method of Use Thereof"

7/13




Fig. 9



Policicchio et al. 7368
"Cleaning Composition, Pad, Wipe, Implement, and
System and Method of Use Thereof"

8 / 13




Fig. 10



Policicchio et al. 7368
"Cleaning Composition, Pad, Wipe, Implement, and
System and Method of Use Thereof"

9/13

RECEIVED
NOV 13 2002
U.S. PATENT & TRADEMARK OFFICE

- ◇ Voltage at Motor Terminal (V)
- Volumetric Flow rate (ml/s)
- △ Spray Nozzle Inlet Pressure (kpa)




Fig. 11



Policicchio et al. 7368
"Cleaning Composition, Pad, Wipe, Implement, and
System and Method of Use Thereof"

10/13

RECEIVED
U.S. PATENT AND TRADEMARK OFFICE
NOV 2 0 2002






Fig. 12



Policicchio et al. 7368
"Cleaning Composition, Pad, Wipe, Implement, and
System and Method of Use Thereof"

11/13





Policicchio et al. 7368
"Cleaning Composition, Pad, Wipe, Implement, and
System and Method of Use Thereof"

12/13




Fig. 14



Policicchio et al. 7368
"Cleaning Composition, Pad, Wipe, Implement, and
System and Method of Use Thereof"

13/13

RECEIVED
00:57 30/11/2002




Fig. 15